


Republic of the Philippines Professional Regulation Commission P. Paredes St., Sampaloc, Metro Manila Tel.Fax: 310-0037



REGULAR MEMBERS

ARISTOGERSON T. GESMUNDO

OMAIMAH E. GANDAMRA Vice-Chairperson

MARIA PINKY M. DE PANO

CRESALINE S. BACSIT

Member

KHEMLE VANE T. VISCA-MARTINO Member

ALTERNATE MEMBERS

ARJAY R. ROSALES Vice-Chairman

HENRIETTA P. NARVAEZ

WILMA T. UNANA Member

MARIA LIZA M. HERNANDEZ

ROVISIONAL MEMBERS DECENA Provisional Member, Non-IT Projects

RICHARD M. ARANIEGO Provisional Member, IT Projects

SECRETARIAT:

KAREN M. MAGSALIN Secretary

MARGIERY D. DULIN

CHRISTOPHER A. MAYO Member

LIEZEL F. BURAGA Member

JOEL P. IGNACIO

ELIEZER C. LEYCO Member

Section VII. Technical Specifications

Lot 1 - Four (4) Passenger Vans

ENGINE	SPECIFICATION
Engine Type	2.8L Diesel M/T, 4-Cylinder, In-line 16 Valve Double Overhead Camshaft Euro-4
Displacement	At least 2,755
Transmission Category	6-Speed Manual
Maximum Output Ps/Rpm	176/3,400
Maximum Torque Nm/Rpm	420/1,400-2,600

SU	JSPENSION	
F	ront / Rear	McPherson Strut/ Rigid Axle, Leaf Spring

BRAKES	
Front	Ventilated Discs
Rear	Drum

STEERING SYSTEM	
Steering Type	Variable Power Steering

TIRE AND WHEEL	
Tires	235/65 R16
Wheels	7J x 16" Alloy Wheel

Dimension and Weight	
Seating Capacity	At least 12 Passengers including driver
AIRCON	Dual, Manual Controls

Lot 2 - Four (4) Multi-Purpose Vehicles

ENGINE	SPECIFICATION
Engine Type	2.4 Diesel Engine, 4-Cylinder, 16 VALVE, DOHC variable Nozzle Turbo with Front mounted intercooler
Displacement	At least 2,300
Transmission Category	At least 5-Speed Manual
Maximum Output Ps/Rpm	At least 147/3,400
Maximum Torque Nm/Rpm	At least 343/1,400-2,800



Republic of the Philippines

Professional Regulation Commission P. Paredes St., Sampaloc, Metro Manila Tel.Fax: 310-0037



REGULAR MEMBERS

ARISTOGERSON T. GESMUNDO Chairman

OMAIMAH E. GANDAMRA

Vice-Chairperson Member Short

CRESALINE S. BAGSIT

Member

Member

KHEMLE JANE T. VISCA-MARTINO

Member

ALTERNATE MEMBERS

ARJAY R. ROSALES Vice-Chairman

HENRIETTA P. NARVAEZ Member

WILMA T. UNANA Member

MARIA LIZA M. HERNANDEZ

PROVISIONAL MEMBERS Provisional Member, Non-IT Projects

RICHARD M. ARANIEGO Provisional Member, IT Projects

SECRETARIAT:

KAREN M. MAGSALIN Secretary

MARGIERY D. DULIN Member

CHRISTOPHER A. MAYO Member

LIEZEL F. BURAGA Member

JOEL P. IGNACIO

ELIEZER C. LEYCO Member

SUSPENSION	
Front	Double Wishbone and Coil Spring with Stabilizer
Rear	Leaf Spring Rigid Axle

BRAKES	
Front	Ventilated Discs
Rear	Leading and Trailing Drums

STEERING SYSTEM	
Steering Type	Rack and pinion with Power Assist

TIRE AND WHEEL	
Tires	225/70
Wheels	Steel with black center cap

AIRCON	Dual, Front and Rear
SEATING CAPACITY	At least 3 passengers including driver (front deck), at least 14 passengers (rear portion)

Lot 3 – One (1) Car (Sedan or Hatchback)

ENGINE	SPECIFICATION
Engine Type	Dual VVT-I, 4-Cylinder In-Line DOHC, 16 Valve
Displacement	1,598
Transmission Category	6-Speed Manual
Maximum Output	121 hp @ 6,000 rpm
Maximum Torque	153 nm @ 5,200 rpm

SUSPENSION	
Front	MacPherson Strut Type with Stabilizer
Rear	Double Wishbone Type with Stabilizer

BRAKES	
Front	Ventilated Discs
Rear	Solid Disc

STEERING SYSTEM	
Steering Type	Rack and pinion with Electric Power Steering(EPS)

Page 2 of 5
TEHNICAL SPECIFICATIONS
PROCUREMENT OF MOTOR SERVICE VEHICLES



Republic of the Philippines

Professional Regulation Commission P. Paredes St., Sampaloc, Metro Manila Tel.Fax: 310-0037



REGULAR MEMBERS

ARISTOGERSON T. GESMUNDO Chairman

OMAIMAH E. GANDAMRA Vice-Chairperson MARIA PINKY M. DE PANO

MARIA PINKY M. DE PANC Member

CRESALINE S. BAGSIT

Member
KHEMLE JANE T. MSCA-MARTINO
Member

ALTERNATE MEMBERS

ARJAY R. ROSALES Vice-Chairman

HENRIETTA P. NARVAEZ Member

WILMAT, UNANA Member

MARIA LIZA M. HERNANDEZ

PROVISIONAL MEMBERS

CHEANTO L. DECENA

Provisional Member, Non-IT Projects

RICHARD M. ARANIEGO Provisional Member, IT Projects

SECRETARIAT:

KAREN M. MAGSALIN Secretary

MARGIERY D. DULIN Member

CHRISTOPHER A. MAYO Member

LIEZEL F. BURAGA Member

JOEL P. IGNACIO Member

ELIEZER C. LEYCO Member Steering Wheel 3-Spoke Leather

TIRE AND WHEEL	
Tires	205/55R16
Wheels	Aluminum Alloy

THE PROPERTY OF THE PARTY OF TH	
AIRCON	Automatic Climate Control

Lot 4 – Twenty Four (24) AUVs (EURO 4 Compliant)

A. Three (3)

ENGINE	SPECIFICATION
Engine Type	2.8L Diesel M/T, 4-Cylinder, In-line 16 Valve, Double Overhead Camshaft (Variable Nozzle turbo Charger w/ Intercooler)
Displacement	2,750
Transmission Category	5-Speed Manual
Maximum Output Ps/Rpm	167/3,400
Maximum Torque Nm/Rpm	343/1200-3400

BRAKES	
Front	Ventilated Discs
Rear	Leading-Trailing Drum

STEERING SYSTEM	
Steering Type	Rack and Pinion with Power Steering

TIRE AND WHEEL	
Tires	205 / 65 R16
Wheels	Alloy with Center Cap


Dimension and Weight	
Seating Capacity	At least 8 Passengers including driver
AIRCON	Automatic Climate Control

Page 3 of 5
TEHNICAL SPECIFICATIONS
PROCUREMENT OF MOTOR SERVICE VEHICLES



Republic of the Philippines Professional Regulation Commission

P. Paredes St., Sampaloc, Metro Manila Tel.Fax: 310-0037



REGULAR MEMBERS

ARISTOGERSON T. GESMUNDO Chairman

OMAIMAH E. GANDAMRA

Vice Chairperson

And Derno

MARIA PINKY M. DE PANO

CRESALINE S. BAGSIT

Member
KHEMLE JANET VISCA-MARTINO

Member

ALTERNATE MEMBERS

ARJAY R. ROSALES Vice-Chairman

HENRIETTA P. NARVAEZ Member

WILMAT, UNANA Member

MARIA LIZA M. HERNANDEZ

PROVISIONAL MEMBERS

CRIMANTOL DECENA

Frovisional Number, Non-IT Projects

RICHARD M. ARANIEGO Provisional Member, IT Projects

SECRETARIAT:

KAREN M. MAGSALIN Secretary

MARGIERY D. DULIN

CHRISTOPHER A. MAYO Member

LIEZEL F. BURAGA Member

JOEL P. IGNACIO Member

ELIEZER C. LEYCO

B. Seven (7)

ENGINE	SPECIFICATION
Engine Type	2.8L Diesel M/T, 4-Cylinder, In-line 16 Valve, Double Overhead Camshaft(Variable Nozzle turbo Charger w/ Intercooler)
Displacement	2,750
Transmission Category	5-Speed Manual
Maximum Output Ps/Rpm	167/3,400
Maximum Torque Nm/Rpm	343/1200-3400

BRAKES	
Front	Ventilated Discs
Rear	Leading-Trailing Drum

STEERING SYSTEM	
Steering Type	Rack and Pinion with Power Steering

TIRE AND WHEEL	
Tires	205 / 65 R16
Wheels	Alloy with Center Cap

Dimension and Weight	
Seating Capacity	At least 8 Passengers including driver
AIRCON	Dual, Manual Control

C. Fourteen (14)

ENGINE	SPECIFICATION
Engine Type	2.4 Diesel Engine, 4-Cylinder, 16 VALVE, DOHC variable Nozzle Turbo with Front mounted intercooler
Displacement	At least 2,300
Transmission Category	At least 5-Speed Manual
Maximum Output Ps/Rpm	At least 147/3,400
Maximum Torque Nm/Rpm	At least 343/1,400-2,800

SUSPENSION	
Front	Double Wishbone and Coil Spring with Stabilizer
Rear	Leaf Spring Rigid Axle

PROCUREMENT OF MOTOR SERVICE VEHICLES



Republic of the Philippines

Professional Regulation Commission P. Paredes St., Sampaloc, Metro Manila Tel.Fax: 310-0037



REGULAR MEMBERS

ARISTOGERSON T. GESMUNDO

OMAIMAH E. GANDAMRA

Vice-Chairperson

MARIA PINKY M. DE PANO

Member

CRESALINE S. BAGSIT Member

MW KHEMLE JANE T. VISCA-MARTINO

Member

ALTERNATE MEMBERS

ARJAY R. ROSALES Vice-Chairman

HENRIETTA P. NARVAEZ Member

WILMA T. UNANA Member

MARIA LIZA M. HERNANDEZ Member

PROVISIONAL NIEMBERS L. DECENA rovisional Member, Non-IT Projects

RICHARD M. ARANIEGO Provisional Member, IT Projects

SECRETARIAT:

KAREN M. MAGSALIN Secretary

MARGIERY D. DULIN Member

CHRISTOPHER A. MAYO Member

LIEZEL F. BURAGA Member

JOEL P. IGNACIO Member

ELIEZER C. LEYCO Member

BRAKES	
Front	Ventilated Discs
Rear	Leading and Trailing Drums

STEERING SYSTEM	
Steering Type	Rack and pinion with Power Assist

TIRE AND WHEEL	
Tires	225/70
Wheels	Steel with black center cap

AIRCON	Dual, Front and Rear
SEATING CAPACITY	At least 3 passengers including driver (front deck), at least 14 passengers (rear portion)
OVERALL LENGTH X WIDTH X HEIGHT	4,260 X 1,695 X 1,895

- 1. Compliance with the statements must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate.
- 2. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection.
- 3. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (iii).

ACKNOWLEDGEMENT AND COMPLIANCE WITH THE OF TERMS OF REFERENCE FOR THE PROCUREMENT OF MOTOR SERVICE VEHICLES

SIGNATURE OVER PRINTED NAME OF AUTHORIZED REPRESENTATIVE, DESIGNATION AND PRINTED NAME OF COMPANY

> Page 5 of 5 TEHNICAL SPECIFICATIONS PROCUREMENT OF MOTOR SERVICE VEHICLES