

The performance of schools in the August 2017 Sanitary Engineer Licensure Examination in alphabetical order as per R.A. 8981 otherwise known as PRC Modernization Act of 2000 Section 7(m) "To monitor the performance of schools in licensure examinations and publish the results thereof in a newspaper of national circulation" is as follows:

AUGUST 2017 SANITARY ENGINEER LICENSURE EXAM. PERFORMANCE OF SCHOOLS IN ALPHABETICAL ORDER

SEQ. NO.	SCHOOL	FIRST TIMERS				REPEATERS				OVERALL PERFORMANCE			
		PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED	PASSED	FAILED	TOTAL	% PASSED
1	BATANGAS STATE UNIVERSITY - ALANGILAN	2	0	2	100.00%	2	2	4	50.00%	4	2	6	66.67%
2	DE LA SALLE UNIVERSITY-DASMARIÑAS	4	1	5	80.00%	3	0	3	100.00%	7	1	8	87.50%
3	MAPUA INSTITUTE OF TECHNOLOGY-MANILA	2	0	2	100.00%	0	0	0	0.00%	2	0	2	100.00%
4	NATIONAL UNIVERSITY-MANILA	13	6	19	68.42%	0	1	1	0.00%	13	7	20	65.00%
5	PARTIDO STATE UNIVERSITY-(GOA)GAO	7	14	21	33.33%	1	5	6	16.67%	8	19	27	29.63%
6	TARLAC STATE UNIVERSITY (TARLAC COLLEGE OF TECH.)	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
7	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-MANILA	1	0	1	100.00%	0	1	1	0.00%	1	1	2	50.00%
8	TECHNOLOGICAL INSTITUTE OF THE PHILIPPINES-QUEZON CITY	9	6	15	60.00%	0	3	3	0.00%	9	9	18	50.00%
9	UNIVERSITY OF BAGUIO	14	5	19	73.68%	0	2	2	0.00%	14	7	21	66.67%
10	UNIVERSITY OF BATANGAS	0	1	1	0.00%	0	0	0	0.00%	0	1	1	0.00%
11	UNIVERSITY OF NORTHERN PHILIPPINES-VIGAN	3	4	7	42.86%	0	1	1	0.00%	3	5	8	37.50%
12	UNIVERSITY OF THE CORDILLERAS (for.BAGUIO C.F.)	6	3	9	66.67%	0	2	2	0.00%	6	5	11	54.55%
13	WESTERN MINDANAO STATE U-ZAMBOANGA CITY	13	6	19	68.42%	0	11	11	0.00%	13	17	30	43.33%
OVERALL TOTAL		74	47	121	61.16%	6	28	34	17.65%	80	75	155	51.61%

xxxxxxxxx NOTHING FOLLOWS xxxxxxxxxxx

Any discrepancy in the report is not intentional on the part of the Commission, but rather due to miscoding of school codes by the examinees themselves. Concerned schools may write the Commission for correction.